PATENT

Docket No.: UC 0406 USCIP Application No.: 10/774,285 Office Action Dated: May 15, 2006

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) An active layer comprising at least one compound having a formula selected from Formula II, Formula II, and Formula III:

Pt(L¹)2 PtL¹L²

(l) (II)

Pt L1L3L4

(111)

where:

in Formulae I, II, and III:

L1 has Formula IV:

$$\mathbb{R}^{1}$$
 \mathbb{R}^{2}
 \mathbb{R}^{3}
 \mathbb{R}^{3}

wherein:

 $R^1 = H, R^4, OR^4, N(R^4)_2$

 $R^2 = H, C_n F_{2n+1}, C_n F_{2n+1} SO_2, COOR^4, CN$

 $R^3 = H$, $C_n F_{2n+1}$, $C_n F_{2n+1} SO_2$, $COOR^4$, CN,

R⁴ is the same or different at each occurrence and is H, alkyl, aryl, or adjacent R⁴ groups can join together to form a 5- or 6-membered ring, and

n is an integer from 1 through 20;

in Formula II:

L² is a monognionic bidentate ligand phosphino alkoxide;

in Formula III:

L³ is a monoanionic monodentate ligand; and

L⁴ is a nonionic monodentate ligand.

Page 3 of 11

PATENT

- 2. (Currently Amended)The active layer of Claim 1, wherein $R^{42}\underline{R^2}$ and $R^{43}\underline{R^3}$ are independently selected from H, CF₃, C₂F₅, *n*-C₃F₇, *i*-C₃F₇, C₄F₉, CF₃SO₂, COOR¹⁴ COOR⁴ and CN.
- 3. (Canceled)
- 4. (Currently Amended) The active layer of Claim 1, wherein the compound has Formula $\# \coprod$ and L^3 is a hydride.
- 5. (Currently Amended) The active layer of Claim 1, wherein L¹ is selected from ligand 1-a through 1-y-as shown in Table 5:

Ligand	<u>R1</u>	R ²	R ³
<u>1-a</u>	H	<u>H</u>	H
<u>1-b</u>	<u>H</u>	CF ₃	<u>H</u>
<u>1-c</u>	H	COOMe	H
<u>1-d</u>	H	CN	H
<u>1-e</u>	<u>CH</u> ₃	Н	브
<u>1-f</u>	CH ₃	CF ₃	H
<u>1-q</u>	CH ₃	COOMe	<u>H</u>
<u>1-h</u>	CH ₃	CN	H
<u>1-i</u>	CH ₃	브	H
1-1	t-butyl	H	H
<u>1-k</u>	<u>OMe</u>	CF ₃	<u>H</u>
<u>1-1</u>	<u>OMe</u>	COOMe	H
<u>1-m</u>	<u>OMe</u>	<u>CN</u>	Ħ
<u>1-n</u>	<u>OMe</u>	CE ₃	CE ₃
<u>1-0</u>	NMe ₂	H	H
<u>1-p</u>	NMe ₂	<u>CF</u> ₃	H
<u>1-q</u>	NMe ₂	COOMe	<u>H</u>
1-r	NMe ₂	CN	<u>H</u>
<u>1-s</u>	NMe ₂	CF ₃ SO ₂	Ħ
<u>1-t</u>	NMe ₂	<u>C₂F₅</u>	H

Page 4 of 11

PATENT

Docket No.: UC 0406 USCIP Application No.: 10/774,285 Office Action Dated: May 15, 2006

Ligand	<u>R</u> 1	<u>R</u> 2	R ³
<u>1-u</u>	NMe ₂	CF(CF ₃) ₂	<u>H</u>
<u>1-v</u>	NMe ₂	<u>H</u>	H
<u>1-w</u>	NPh ₂	CF ₃	<u>H</u>
<u>1-x</u>	NPh ₂	COOMe	H
<u>1-y</u>	NPh ₂	CN	Ħ

6. (Currently Amended) The active layer of Claim 1, wherein L¹ is selected from Formula V, Formula VII, Formula VIII, and Formula IX:

Page 5 of 11

PATENT

- 7. (Original) An organic electronic device comprising at least one active layer of Claim 1.
- 8. (Currently Amended) A compound having a formula selected from Formula I, Formula II, and Formula III:

Pt(L¹)₂ (1)

PtL¹L² (II)

 $Pt L^{1}L^{3}L^{4}$ (III)

where:

in Formulae I, II, and III:

L¹ has Formula IV:

$$R^{1}$$
 N
 R^{2}
 R^{3}

wherein:

 $R^1 = H, R^4, OR^4, N(R^4)_2$

Page 6 of 11

PATENT

$$R^2 = H, C_n F_{2n+1}, C_n F_{2n+1} SO_2, COOR^4, CN$$

 $R^3 = H, C_n F_{2n+1}, C_n F_{2n+1} SO_2, COOR^4, CN,$

 R^4 is the same or different at each occurrence and is H, alkyl, aryl, or adjacent R^4 groups can join together to form a 5- or 6-membered ring, and

n is an integer from 1 through 20;

in Formula II:

L2 is a meneanionic bidentate ligand phosphino alkoxide;

in Formula III:

- L3 is a monoanionic monodentate ligand; and
- L⁴ is a nonionic monodentate ligand.
- 9. (Currently Amended) The compound of Claim 8, wherein L¹ is selected from ligands 1-a through 1-y, as-shown in Table 1:

Ligand	<u>R</u> 1	R ²	R ³
<u>1-a</u>	Н	H	<u>H</u>
<u>1-b</u>	H	CF ₃	<u>H</u>
<u>1-c</u>	H	COOMe	H
<u>1-d</u>	Н	CN	H
<u>1-e</u>	CH ₃	H	H
<u>1-f</u>	CH ₃	CF ₃	H
<u>1-g</u>	CH ₃	COOMe	<u>H</u>
<u>1-h</u>	CH ₃	CN	H
<u>1-i</u>	CH ₃	<u>ਜ</u>	<u>H</u>
1-i	t-butyl	브	H
<u>1-k</u>	<u>OMe</u>	CF ₃	H
1-1	<u>OMe</u>	<u>COOMe</u>	H
<u>1-m</u>	<u>OMe</u>	CN	<u>H</u>
<u>1-n</u>	OMe	CF ₃	CF ₃
1-o	NMe ₂	<u>H</u>	<u>H</u>
<u>1-p</u>	NMe ₂	CF ₃	ㅂ
<u>1-q</u>	NMe ₂	<u>COOMe</u>	<u>H</u>
<u>1-r</u>	NMe ₂	CN	Н
<u>1-s</u>	NMe ₂	CF ₃ SO ₂	<u>H</u>

Page 7 of 11

Docket No.: UC 0406 USCIP

Application No.: 10/774 285

Application No.: 10/774,285 Office Action Dated: May 15, 2006

Ligand	<u>R1</u>	R ²	R ³
<u>1-t</u>	<u>NMe</u> 2	<u>C₂F₅</u>	Н
<u>1-u</u>	NMe ₂	CF(CF ₃) ₂	H
<u>1-v</u>	NMe ₂	H	버
<u>1-w</u>	NPh ₂	CF ₃	<u>H</u>
<u>1-x</u>	NPh ₂	COOMe	H
1-v	NPh ₂	CN	Ħ

- 10. (Currently Amended) A compound of Claim 8, wherein R^2 and R^3 are independently selected from H, CF_3 , C_2C_3 C_2F_5 , $R-C_3C_2R-C_3F_7$, $I-C_3F_7$, $I-C_3F_$
- 11. (Canceled)
- 12. (Original) A compound of Claim 8, wherein the compound has Formula III and L^3 is a hydride.
- 13. (Canceled)
- 14. (Original) An organic electronic device comprising a layer that comprises the compound of Claim 8.
- 15. (Original) An organic electronic device comprising a layer that comprises the compound of Claim 9.
- 16. (Original) An organic electronic device comprising a layer that comprises the compound of Claim 10.
- 17. (Canceled)
- 18. (Original) An organic electronic device comprising a layer that comprises the compound of Claim 12.
- 19. (Canceled)
- 20. (Original) An active layer of claim 1 further comprising a diluent.

PATENT

- 21. (Original) An active layer of claim 20 wherein the diluent further comprises a material selected from a polymer, a small molecule, and a mixture thereof.
- 22. (New) An active layer comprising at least one compound having Formula I

$$Pt(L^1)_2 (I)$$

wherein L1 is selected from Formula VII and Formula VIII: